

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE
OPENING OR USING
FOR ANIMAL TREATMENT ONLY

Noromectin

Pour-On for Cattle

Active constituent: Ivermectin 5mg/mL

For the treatment and control of internal and external parasites of cattle.

Net Contents:

250 mL, 500 mL, 1L, 1L (Backpack), 2.5L, 5L, 15L, 20L, 21L

CLAIMS:

Noromectin Pour-On for Cattle contains ivermectin, a member of the macrocyclic lactone family of chemicals. It is effective against sensitive strains of the following internal and external parasites: gastrointestinal nematodes *Ostertagia ostertagi*, *Haemonchus placei*, *Trichostrongylus axei*, *T. colubriformis*, *Cooperia oncophora*, *C. punctata*, *Oesophagostomum radiatum*, *O. venulosum*, *Strongyloides papillosus*, *Trichuris* spp and *Nematodirus* spp, lungworms (*Dictyocaulus viviparus*), sucking and biting lice (*Linognathus vituli*, *Haematopinus eurysternus*, *Bovicola bovis* and *Solenopotes capillatus*), chorioptic and sarcoptic mange mites, buffalo flies (*Haematobia irritans exigua*), and cattle ticks (*Boophilus microplus*).

Noromectin Pour-On at the recommended use level can effectively control infections with *Ostertagia* spp (small brown stomach worms) acquired up to 14 days after treatment, *Dictyocaulus viviparus* (lungworm) acquired up to 28 days after treatment and *Haematobia irritans exigua* (buffalo fly) for up to 21 days after treatment.

Resistance may develop to any chemical.

DIRECTIONS FOR USE

Re-treatment interval

DO NOT RE-TREAT animals for 42 days after last treatment.

Contraindications:

This product should not be used in dogs, horses or any other pets.

Precautions:

Gives off highly flammable vapour. Keep away from heat, sparks, open flame and other sources of ignition. Keep closed when not in use. This product is for application to the skin surface only, do not give orally or parenterally. Do not use in species other than cattle. Only use in a well-ventilated area or outdoors. Cattle should not be treated when hair or hide is wet since reduced efficacy may be

experienced. Rain falling on cattle in less than 2 hours after dosing may result in reduced efficacy. Reduced efficacy will result if applied to areas of skin with mange scabs or lesions, or with dermatoses or adherent materials, eg. caked mud or manure.

Dosage and Administration:

Apply along the topline in a narrow strip extending from the withers to the tailhead. The dose rate is 1 mL for each 10 kg of liveweight.

Liveweight (kg)	Dose Volume (mL)
50-100	10
101-150	15
151-200	20
201-250	25
251-300	30
301-350	35
351-400	40
401-450	45
451-500	50
501-550	55
551-600	60
601-650	65

Heavier animals, for example mature bulls, should receive an additional 5 mL for each 50 kg over 650 kg.

A representative sample of animals should be weighed before treatment either with scales or a weighband.

Dose rate to be based on heaviest cattle in each group. Do not underdose. When there is a large variation in size within the group, draft into two or more lines based on bodyweight, to avoid excessive overdosing.

General Directions:

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

The colour of Noromectin Pour-On fades when exposed to light and, depending on the light intensity, fading may occur in less than 30 minutes. This rapid loss of colour does not reflect loss of potency of Ivermectin. However, prolonged exposure to light can also result in a gradual decline of Ivermectin potency in formulation.

WITHHOLDING PERIODS

MEAT: DO NOT USE less than 42 days before slaughter for human consumption.

MILK: Zero (0) days

TRADE ADVICE

EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 42 days before slaughter for export.

Before using this product, confirm the current ESI from Norbrook Laboratories Pty Ltd on 1800 665 866 or the APVMA website (apvma.gov.au/residues).

SAFETY DIRECTIONS:

Poisonous if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. If product on skin, immediately wash area with soap and water. If product in eyes, wash out immediately with water. Wash hands after use.

FIRST AID INSTRUCTIONS:

If poisoning occurs contact a doctor or Poisons Information Centre. Phone 13 11 26.

Environmental Statements:

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:

Ivermectin is extremely toxic to aquatic species. Do not contaminate dams, rivers, streams and other waterways with the chemical or used container.

DISPOSAL:

Disposal - For containers less than or equal to 1 L

Dispose of container by wrapping with paper and putting in garbage.

Disposal - For large containers greater than 1 L

Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site.

If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

STORAGE:

Store below 30°C away from light

Manufactured by:

Norbrook Laboratories Limited, UK.

Distributed by:

Norbrook Laboratories Australia Pty Limited,

ACN 080 972 596

Unit 7/15- 21 Butler Way,

Tullamarine, VIC 3043

Free call 1800 665 866

APVMA Approval No: 51265/137945

Emergency and transport advice:

UN1219

Iso-Propanol



Flammable liquids
Acute Toxicity Oral
Serious eye damage/eye irritation
Specific Target Organ Toxicity - Single Exposure
Reproductive Toxicity
Hazardous to aquatic environment Short term/Acute
Highly flammable liquid and vapour.
Repeated exposure may cause skin dryness or cracking.
Harmful if swallowed.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May damage fertility or the unborn child.
Toxic to aquatic life.
Keep out of reach of children.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
Keep container tightly closed.
Do not get in eyes, on skin, or on clothing.
Wash contacted areas thoroughly after handling.
Do not eat, drink or smoke when using this product.
Avoid release to the environment.
Use personal protective equipment as required.
If eye irritation persists: seek medical attention.
IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.



Norbrook[®]

019411106